



Certificate of Analysis for

AMG Commerce LLC
150 NW 16th St
Boca Raton, FL 33431
Phone: (561) 504-2652

Received: 4/1/2025 @ 17.2 °C
Report ID: 2504040

Sample ID: 2504040-001 CK032925138

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 04/01/25

Aerobic Plate Count	3,100	CFU/g
---------------------	-------	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 04/01/25

Total Coliform Bacteria	< 100	CFU/g
-------------------------	-------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 04/01/25

Escherichia coli	< 100	CFU/g
------------------	-------	-------

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 04/08/25

Arsenic (As)	0.612	mg/kg (ppm)	Cadmium (Cd)	0.0133	mg/kg (ppm)
Lead (Pb)	0.542	mg/kg (ppm)	Mercury (Hg)	0.0385	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 04/03/25

7-Hydroxymitragynine	< 0.0100	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.32	%	Mitraphylline	< 0.100	%
Paynantheine	0.235	%	Speciociliatine	0.375	%
Speciogynine	0.156	%	Total Alkaloids	2.09	%

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 04/01/25

Salmonella spp.	Negative	/25 g
-----------------	----------	-------

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 04/01/25

Staphylococcus aureus	< 100	CFU/g
-----------------------	-------	-------

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 04/01/25

Shiga toxin-producing E. coli (stx-eae)	Negative	/25 g
---	----------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 04/01/25

Yeast and Mold	1,300	CFU/g
----------------	-------	-------

Reported By: _____

Jake S Hedges, Chemistry Laboratory Supervisor, 4/8/2025